

TECHNICAL DATA

# Fluke 805ES



€ • , f

- 2 Å± 90 ÅÅÅ, « Å· ÅÅÅ, ÅÇÈÉ±Ê²
- ÈÌ Í Î ±Ï ÑÒÓÔ, Ö×· ØÙÚÛÜÝ–
- Þß± "U" àáâì ā· · äåæ çèéêì í î ' ï ð
- ñ™òóôõ÷ø±ÈÌ Í Î ±ùúû· Ðçè, · ÑÒ· Ðüý
- · þ ±ÅÅ, áâ· èì ãéˆ ÅÅ, –ì ± –
- èçèé 805' " ±SMBçè,

„ ... † ‡ : Fluke 805ES

805 €• , f „ • ... † ‡ ^


Fluke 805ES – ÅÅ„ , ÅÍ 805' " ÅÅ„ ì †! " # † \$ % &  
 ' Ž 805ES Å†· Ý ( ) †ì \* è+± , - «, á. , ì / è- ÆOè+1 Ý 2 805' " 3 4 5 6  
 7 8 ó † Ê 9 Æ: ' ï Ž

„ ... ^ %: Fluke 805ES

%Š	
' ï ; <	7 g pk (68.7 m/s= pk)



## Ordering information



Fluke 805ES

805 ' 805 g q 2 '

